

Annual
**WATER
QUALITY
REPORT**

Reporting Year 2012

Presented By _____
City of St. Augustine

PWS ID#: 2550210

There When You Need Us

We are once again proud to present our annual water quality report covering all testing performed between January 1 and December 31, 2012. Over the years, we have dedicated ourselves to producing drinking water that meets all state and federal standards. We continually strive to adopt new methods for delivering the best-quality drinking water to you. As new challenges to drinking water safety emerge, we remain vigilant in meeting the goals of source water protection, water conservation, and community education while continuing to serve the needs of all our water users.

Please remember that we are always available to assist you should you ever have any questions or concerns about your water.

QUESTIONS?

For more information about this report, or for any questions relating to your drinking water, please call Patrick Timoney, Water Department Superintendent, at (904) 825-1044.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791 or <http://water.epa.gov/drink/hotline>.

Substances That Could Be in Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic Contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and can also come from gas stations, urban stormwater runoff, and septic systems.

Radioactive Contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at (800) 426-4791.

Lead in Home Plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

Drinking Water Treatment

Our water treatment process includes lime softening, settling, recarbonation, and chloramine disinfection. Beginning in July 2008, the City of St. Augustine began the operation of a new Low Pressure Reverse Osmosis/Nanofiltration treatment plant. This new plant is capable of treating 2 million gallons of water per day. The treated water from this operation is blended with the water from our lime softening plant.

Where Does My Water Come From?

Our water source is groundwater from eight wells, one of which withdraws from the Surficial Aquifer, and seven of which withdraw from the Floridan Aquifer.

Source Water Assessment

In 2011, the Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our wells. Potential sources of contamination identified include underground petroleum storage tanks, dry cleaning facilities, and wastewater treatment plants. One potential source of contamination has been identified for this system, with a moderate susceptibility level. The assessment results are available on the FDEP Source Water Assessment and Protection Program Web site at www.dep.state.fl.us/swapp or they can be obtained from Patrick Timoney, Superintendent of the Water Treatment Plant, by calling (904) 825-1044.

Water Conservation

You can play a role in conserving water and save yourself money in the process by becoming conscious of the amount of water your household is using and by looking for ways to use less whenever you can. It is not hard to conserve water. Here are a few tips:

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank. Watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from an invisible toilet leak. Fix it and you save more than 30,000 gallons a year.
- Use your water meter to detect hidden leaks. Simply turn off all taps and water using appliances. Then check the meter after 15 minutes. If it moved, you have a leak.

Fact *or* Fiction

Water treatment began as a way to remove disease-causing agents. (*Fiction: It was only in the 1950s that scientists began to suspect that water might carry diseases. Although earlier treatment of water could make the water safer, it was mainly done merely to improve the taste, smell, or appearance of the water.*)

About half of the world's water supply is available for drinking. (*Fiction: If all the world's water were fit into a gallon jug, the fresh water available for us to use would equal only about one tablespoon.*)

Due to its unique nature, water boils at the same temperature anywhere on the planet. (*Fiction: At sea level, water boils at 212 degrees Fahrenheit, but on top of Mt. Everest, water boils at 154 degrees.*)

Water regulates the temperature of the Earth. (*Fact: As in the human body, the water in our oceans, lakes, and streams plays a major role in regulating planetary temperatures.*)

The Mississippi River is longer than the Amazon River. (*Fiction: At 3,902 miles the Mississippi River is not as long as the Amazon River, which flows for 4,000 miles.*)

Forty trillion gallons of water a day are carried in the atmosphere across the United States. (*Fact: Forty percent of the atmosphere's moisture content falls as precipitation each day.*)

Q & A

What is the typical per-day water usage?

While usage varies from community to community and person to person, on average, Americans use 183 gallons of water a day for cooking, washing, flushing, and watering purposes. The average family turns on the tap between 70 and 100 times daily. About 74% of home water usage occurs in the bathroom, about 21% in the laundry room, and about 5% in the kitchen.

Why do water pipes tend to break in winter?

Liquids generally contract when frozen and become more dense; however, the unique qualities of water cause it to expand by up to 9% when it freezes. That is why water pipes burst when temperatures reach the freezing mark.

How much water is used to create the food we eat each year?

The average American consumes 1,500 pounds of food each year; 1,000 gallons of water are required to grow and process each pound of that food. Thus, 1.5 million gallons of water is invested in the food eaten annually by just one person! This 200,000-plus cubic feet of water per person is enough to cover a football field four feet deep.

Is it okay to use hot water from the tap for cooking and drinking?

No, ALWAYS use cold water. Hot water is more likely to contain rust, copper, and lead from household plumbing and water heaters. These harmful substances can dissolve into hot water faster than they do into cold water, especially when the faucet has not been used for an extended period of time.

What type of container is best for storing water?

Consumer Reports has consistently advised that glass or BPA-free plastics such as polyethylene are the safest choices. To be on the safe side, do not use any container with markings on the recycle symbol showing 7 PC (which is the code for BPA). You could also consider using stainless steel or aluminum containers that have BPA-free liners.

How much water is used in the shower?

A 10-minute shower can take 25 to 50 gallons of water. High-flow shower heads allow a flow of 6 to 10 gallons a minute. Low-flow shower heads can cut the rate in half without reducing pressure.

Sampling Results

During the past year, we have taken hundreds of water samples in order to determine the presence of any radioactive, biological, inorganic, volatile organic, or synthetic organic contaminants. The tables below show only those contaminants that were detected in the water. The state allows to monitor for certain substances less often than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

PRIMARY REGULATED CONTAMINANTS								
Microbiological Contaminants								
CONTAMINANT AND UNIT OF MEASUREMENT		DATE OF SAMPLING (MO./YR.)	MCL VIOLATION (YES/NO)	HIGHEST MONTHLY PERCENTAGE	MCLG	MCL	LIKELY SOURCE OF CONTAMINATION	
Total Coliform Bacteria (% positive samples)		Jan–Dec 2012	No	1.6%	0	Presence of coliform bacteria in 5% of monthly samples	Naturally present in the environment	
Radioactive Contaminants								
CONTAMINANT AND UNIT OF MEASUREMENT		DATE OF SAMPLING (MO./YR.)	MCL VIOLATION (YES/NO)	LEVEL DETECTED	RANGE OF RESULTS	MCLG	MCL	LIKELY SOURCE OF CONTAMINATION
Radium 226 + 228 [Combined Radium] (pCi/L)		05-10/08-10	No	0.5	ND–0.5	0	5	Erosion of natural deposits
Inorganic Contaminants								
Barium (ppm)		03-11	No	0.011	ND–0.011	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Fluoride (ppm)		03-11	No	0.36	0.32–0.36	4	4.0	Erosion of natural deposits; discharge from fertilizer and aluminum factories; water additive that promotes strong teeth when at optimum levels between 0.7 and 1.3 ppm
Lead [point of entry] (ppb)		03-11	No	2.2	ND–2.2	NA	15	Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder
Sodium (ppm)		03-11	No	37	35–37	NA	160	Salt water intrusion; leaching from soil
Stage 1 Disinfectants and Disinfection By-Products								
CONTAMINANT AND UNIT OF MEASUREMENT		DATE OF SAMPLING (MO./YR.)	MCL VIOLATION (YES/NO)	LEVEL DETECTED	RANGE OF RESULTS	MCLG OR [MRDLG]	MCL OR [MRDL]	LIKELY SOURCE OF CONTAMINATION
Chloramines (ppm)		1-12/12-12	No	2.83	2.22–3.39	[4]	[4.0]	Water additive used to control microbes
Haloacetic Acids (five) [HAA5] (ppb)		07-12	No	6.03	5.72–6.43	NA	60	By-product of drinking water disinfection
TTHM [Total trihalomethanes] (ppb)		07-12	No	29.29	26.05–31.17	NA	80	By-product of drinking water disinfection
Lead and Copper (Tap water samples were collected from sites throughout the community)								
CONTAMINANT AND UNIT OF MEASUREMENT		DATE OF SAMPLING (MO./YR.)	AL EXCEEDANCE (YES/NO)	90TH PERCENTILE RESULT	NO. OF SAMPLING SITES EXCEEDING THE AL	MCLG	AL (ACTION LEVEL)	LIKELY SOURCE OF CONTAMINATION
Copper [tap water] (ppm)		8-10/9-10	No	0.13	0	1.3	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead [tap water] (ppb)		08-10/09-10	No	2.1	2	0	15	Corrosion of household plumbing systems; erosion of natural deposits

Definitions

AL (Action Level): The concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

IDSE (Initial Distribution System Evaluation): An important part of the Stage 2 Disinfection Byproducts Rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system locations with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their Stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable

ND (Not detected): Indicates that the substance was not found by laboratory analysis.

pCi/L (picocuries per liter): A measure of radioactivity.

ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

ppm (parts per million): One part substance per million parts water (or milligrams per liter).